Subject index

μ_{H_2O}, 363

age determination, 283
albite-amphibolite, 93
albite porphyroblasts, 433
Alleghanian (Variscan) orogeny, 567
allochemical, 581
amphiboles, 535
amphibolite, 93
amphibolite facies, 301
anatexis, 315
anchimetamorphism, 735
anchizone, 723
Antarctica, 231, 245, 257, 293
$^{40}Ar/^{39}Ar$ geochronology, 539, 605
$^{40}Ar/^{39}Ar$ mineral dating, 203
Araku, 451
Arc–arc collision, 111
Archaean greenstone belts, 141
Arunta Block, 267, 641

Baltic Shield, 283
barometry, 223
Berwyn Dome, 765
biotite–garnet, 181
blueschist facies, 5
blueschist metamorphism, 539
Bolingen Islands, Prydz Bay, 293
buffering, 363

calc-silicates, 293
Caledonian metamorphism, 765
Cape Smith Belt, 515
central Australia, 191, 267
charnockite, 283
chlorite, 679
chlorite crystallinity, 723
chlorite geothermometer, 711
chlorite–mica stacks, 735
chlorite–smectite, 697
chlorite/smectite, 679
chloritoid, 581
chronology, 125
clay mineralogy, 775
coal rank, 723
Coast plutonic–metamorphic complex, southeastern Alaska, 165
C–O–H–N–S fluids, 551
compositional zoning, 181
conodont colour alteration, 723
corona, 441
corona texture, 451
corrensite, 679, 697
crustal evolution, 223
crustal thickening, 257
crustal thinning and thickening, 35

decompression, 245, 257
decompression P–T path, 433
dehydration, 315
diastathermal, 751
diffusion, 379
dissolution, 619
dome structure, 481
Dora-Maira Massif, 19
Ducktown, Tennessee, 551
ductile shearing, 419

Eastern Alps, 419
eclogite, 19, 79, 93, 341, 349, 605
eclogite facies, 5
ecologites, 35, 203
eclogitic metamorphism, 61
epitaxial nucleation, 535
exhumation, 567

f_{O_2}, 363
finite strain, 735
Finland, 181
fluid, 433
fluid flow, 419
fluid inclusions, 551, 567,
fluids, 301
FMAS system, 451
foliation development, 481
foliation truncations, 619

garnet-bearing mafic granulites, 245
garnet peridotites/pyroxenites, 125
garnet zoning, 379
geospeedometry, 181
geothermobarometry, 349
geothermometer, 341
geothermometry, 379
glaucophane, 93
glaucophane stability, 19
gold, 141
grain-size gradation, 671
granite, 151
granulite, 223, 231, 283, 315, 341, 349, 461
granulite facies, 111, 441
granulite facies metamorphism, 267
granulites, 35, 257
Greenland, 711
greenschist, 93
Grenville Province, 315

Hercynian, 539
hercynite, 441
high-grade diagenesis and anchimetamorphism, 775
high-P metamorphism, 125
high-pressure experimental, 341
high-temperature decompression, 231
Himalaya, 481
Hungary, 723
hydrothermal metamorphism, 679

illite crystallinity, 671, 723, 725
illite crystallinity map, 775
inclusions, 535
infiltration, 315
inverted isograds, 165, 403
inverted metamorphism, 203
isocon, 151
isostasy, 333

Karakorum, 403
KFMASH, 267
KFMASHTO, 267, 441
kinetics, 5

low a_{H_2O}, 315
lower crust, 341, 349
low-temperature metamorphism, 497

mafic phyllosilicates, 711
Main Mantle Thrust, 481
marble, 61
mass-balance, 151
metabasites, 497, 711
metachert, 389
metagabbro, 315
metamorphism, 333
metamorphosed massive sulphides, 551
metapelites, 231
metasomatism, 151, 419
microstructure, 535
migmatite, 151, 191, 461
mineral equilibria, 301
mixed layer, 697
Musgrave Complex, 441
mylonite, 79, 461

Newfoundland, 433
normal grain growth, 389

olivine, 79
orogen, 333
overprinting metamorphism, 267

P–T conditions, 539
P–T–deformation path, 641
P–T estimate, 283
P–T path, 35, 93, 257, 267
P–T paths, 403, 515
P–T–t path, 223, 349
P–T–t paths, 5, 551, 605
P–T–t–D path, 111
Pakistan, 481
partial melt, 191
partial melting, 111
particle orientation, 671
peak broadening, 671
pelite, 111
pelitic schists, 363
pencil structure, 735
peraluminous tonalite, 111
peridotite, 79
petrogenetic grid, 451
petrogenetic grids, 497
phase diagrams, 141
piezothermal array, 141
polymetamorphism, 231
porphyroblasts, 619
Portugal, 539
post-orogenic collapse, 567
Proterozoic, 257, 641

quartz, 389
quartzofeldspathic gneiss, 191
Quebec Appalachians, 775

reaction space, 403
retrograde, 581
retrograde evolution, 93
retrograde *P–T* path, 293
reworking, 231
Reynolds Range, 641
Ryoke metamorphic belt, 389

Sambagawa metamorphic belt, 605
sample preparation, 671
Scandinavian Caledonides, 203
scapolite, 293
secondary recrystallization, 389
Sesia-Lanzo Zone, 61
Sesia zone, 35
Seve terranes, 203
shear zone, 191, 419
shear zones, 581
slaty cleavage, 735
smectite, 679
solution transfer, 619
southwest England, 751
southwest Norway, 125
specimen thickness, 671
spinel granulite, 451
staurolite, 581
strain, 333
subgreenschist facies, 497
superposed structures, 481
symplectite, 441

Taconian and Acadian orogenies, 775
tectonic enclave, 605
tectonothermal history, 539
TEM, 697
textural unconformities, 619
thermal evolution, 515
thermal modelling, 515
thermobarometry, 165, 379, 451
thermometry, 223
thrust belt, 515
titanian clinohumite, 79
Trás-os-Montes, 539
two-stage symplectic coronas, 245

Variscan, 751
very low grade, 751
very low-grade metamorphism, 723, 735
Voltri Massif, Italy, 93
Voltri Massif, NW Italy, 79

Wales, 711
Welsh Basin, 765
Western Alps, 5, 19, 35, 61
white mica crystallinity, 765
whiteschist, 19
wollastonite, 293

XRD, 697
X-ray diffraction, 723

Zambezi Belt, Zimbabwe, 461
zircon, 191

Author index

Adam, J., *see* Green, T. H.
Allen, T. & Chamberlain, C. P. Metamorphic evidence for an inverted crustal section, with constraints on the Main Karakorum Thrust, Baltistan, northern Pakistan, 403
Andréasson, P. G., *see* Dallmeyer, R. D.
Árkai, P. Chlorite crystallinity: an empirical approach and correlation with illite crystallinity, coal rank and mineral facies as exemplified by Palaeozoic and Mesozoic rocks of northeast Hungary, 723
Awan, M. A. & Woodcock, N. H. A white mica crystallinity study of the Berwyn Hills, North Wales, 765

Barton, C. M., *see* Carney, J. N.
Bell, T. H. & Hayward, N. Episodic metamorphic reactions during orogenesis: the control of deformation partitioning on reaction sites and reaction duration, 619
Berry, R. F., *see* Nichols, G. T.
Bettison-Varga, L., MacKinnon, I. D. R. & Schiffman, P. Integrated TEM, XRD and electron microprobe investigation of mixed-layer chlorite–smectite from the Point Sal ophiolite, California, 697
Bevins, R. E., Robinson, D. & Rowbotham, G. Compositional variations in mafic phyllosilicates from regional low-grade metabasites and application of the chlorite geothermometer, 711
Biino, G., *see* Kienast, J. R.
Bodnar, R. J., *see* Hall, D. L.
Bohlen, S. R. On the formation of granulites, 223
Brew, D. A., *see* Himmelberg, G. R.
Buggisch, W., *see* Krumm, S.
Buick, I. S. & Holland, T. J. B. The nature and distribution of fluids during amphibolite facies metamorphism, Naxos (Greece), 301

de Capitani, C., *see* Frey, M.
Carney, J. N., Treloar, P. J., Barton, C. M., Crow, M. J., Evans, J. A. & Simango, S. Deep-crustal granulites with migmatitic and mylonitic fabrics from the Zambezi Belt, northeastern Zimbabwe, 461
Carswell, D. A., *see* Jamtveit, B.
Castelli, D. Eclogitic metamorphism in carbonate rocks: the example of impure marbles from the Sesia-Lanzo Zone, Italian Western Alps, 61
Chamberlain, C. P., *see* Allen, T.
Clarke, G. L. & Powell, R. Proterozoic granulite facies metamorphism in the southeastern Reynolds Range, central Australia: geological context, *P–T* path and overprinting relationships, 267
Clarke, G. L. & Powell, R. Decompressional coronas and symplectites in granulites of the Musgrave Complex, central Australia, 441
Compagnoni, R. & Piccardo, G. B. High-pressure metamorphism in the Western Alps: introduction, 3
Craig, J. R., *see* Hall, D. L.
Crow, M. J., *see* Carney, J. N.
Cumbest, R. J. Some comments on inclusion relationships, 515

Dallmeyer, R. D., Andréasson, P. G. & Svenningsen, O. Initial tectonothermal evolution within the Scandinavian Caledonide Accretionary Prism: constraints from $^{40}Ar/^{39}Ar$ mineral ages within the Seve Nappe Complex, Sarek Mountains, Sweden, 203
Dallmeyer, R. D. & Takasu, A. Tectonometamorphic evolution of the Sebadani eclogitic metagabbro and the Sambagawa schists, central Shikoku, Japan: $^{40}Ar/^{39}Ar$ mineral age constraints, 605
Dallmeyer, R. D., *see* Gil Ibarguchi, J. I.
Dalton, E., *see* Hesse, R.
Dasgupta, S., *see* Sengupta, P.
Day, H. W., *see* Giaramita, M. J.
DiPietro, J. A. & Lawrence, R. D. Himalayan structure and metamorphism south of the Main Mantle Thrust, Lower Swat, Pakistan, 481
Dirks, P. & Hand, M. Structural and metamorphic controls on the distribution of zircon in an evolving quartzofeldspathic migmatite: an example from the Reynolds Range, central Australia, 191
Dirks, P. H. G. M., Hand, M. & Powell, R. The *P–T–* deformation path for a mid-Proterozoic, low-pressure terrane: the Reynolds Range, central Australia, 641

Evans, J. A., *see* Carney, J. N.

Fitzsimons, I. C. W., *see* Harley, S. L.
Ford, A. B., *see* Himmelberg, G. R.
Frey, M., de Capitani, C. & Liou, J. G. A new petrogenetic grid for low-grade metabasites, 497
Fridleifsson, G. O., *see* Schiffman, P.
Fukuoka, M., *see* Sengupta, P.

Gates, A. E. & Speer, J. A. Allochemical retrograde metamorphism in shear zones: an example in metapelites, Virginia, USA, 581
Giaramita, M. J. & Day, H. W. Buffering in the assemblage staurolite–aluminium silicate–biotite–garnet–chlorite, 363
Gil Ibarguchi, J. I. & Dallmeyer, R. D. Hercynian blueschist metamorphism in North Portugal: tectonothermal implications, 539
Grant, J. A., *see* Olsen, S. N.
Green, T. H. & Adam, J. Assessment of the garnet–clinopyroxene Fe–Mg exchange thermometer using new experimental data, 341

Hall, D. L., Bodnar, R. J. & Craig, J. R. Fluid inclusion constraints on the uplift history of the metamorphosed massive sulphide deposits at Ducktown, Tennessee, 551
Hand, M., *see* Dirks, P.
Hand, M., *see* Dirks, P. H. G. M.
Harley, S. L. & Fitzsimons, I. C. W. Pressure–temperature evolution of metapelitic granulites in a polymetamorphic terrane: the Rauer Group, East Antarctica, 231
Hayward, N., *see* Bell, T. H.
Hensen, B. J., *see* Motoyoshi, Y.
Hensen, B. J., *see* Thost, D. E.
Hensen, B. J. & Vernon, R. H. Granulite metamorphism: introduction, 221
Hesse, R. & Dalton, E. Diagenetic and low-grade metamorphic terranes of Gaspé Peninsula related to geological structure of the Taconian and Acadian orogenic belts, Quebec Appalachians, 775
Himmelberg, G. R., Brew, D. A. & Ford, A. B. Development of inverted metamorphic isograds in the western metamorphic belt, Juneau, Alaska, 165
Holland, T. J. B., *see* Buick, I. S.
Hölttä, P., *see* Lindström, R.
Hoogerduijn Strating, E. H., *see* Scambelluri, M.

Jamieson, R. A. & O'Beirne-Ryan, A. M. Decompression-induced growth of albite porphyroblasts, Fleur de Lys Supergroup, western Newfoundland, 433
Jamtveit, B., Carswell, D. A. & Mearns, E. W. Chronology of the high-pressure metamorphism of Norwegian garnet peridotites/pyroxenites, 125

Johansson, L., Lindh, A. & Möller, C. Late Sveconorwegian (Grenville) high-pressure granulite facies metamorphism in southwest Sweden, 283
Juhanoja, J., *see* Lindström, R.

Karmakar, S., *see* Sengupta, P.
Kienast, J. R., Lombardo, B., Biino, G. & Pinardon, J. L. Petrology of very-high-pressure eclogitic rocks from the Brossasco–Isasca Complex, Dora-Maira Massif, Italian Western Alps, 19
Kisch, H. J. Development of slaty cleavage and degree of very low-grade metamorphism: a review, 735
Kisch, H. J. Illite crystallinity: recommendations on sample preparation, X-ray diffraction settings and interlaboratory samples, 665
Koike, T., *see* Masuda, T.
Komatsu, M., *see* Osanai, Y.
Krumm, S. & Buggisch, W. Sample preparation effects on illite crystallinity measurement: grain-size gradation and particle orientation, 671

Lardeaux, J. M. & Spalla, M. I. From granulites to eclogites in the Sesia zone (Italian Western Alps): a record of the opening and closure of the Piedmont ocean, 35
Lawrence, R. D., *see* DiPietro, J. A.
Lindh, A., *see* Johansson, L.
Lindström, R., Viitanen, M., Juhanoja, J. & Hölttä, P. Geospeedometry of metamorphic rocks: examples in the Rantasami-Sulkava and Kiuruvesi areas, eastern Finland. Biotite–garnet diffusion couples, 181
Liou, J. G., *see* Frey, M.
Lombardo, B., *see* Kienast, J. R.
Lucas, S. B., *see* St-Onge, M. R.

MacKinnon, I. D. R., *see* Bettison-Varga, L.
Masuda, T., Koike, T., Yuko, T. & Morikawa, T. Discontinuous grain growth of quartz in metacherts: the influence of mica on a microstructural transition, 389
Mearns, E. W., *see* Jamtveit, B.
Merriman, R. J. Phyllosilicates as indicators of very low-grade metamorphism and diagenesis: introduction, 663
Messiga, B. & Scambelluri, M. Retrograde P–T–t path for the Voltri Massif eclogites (Ligurian Alps, Italy): some tectonic implications, 93
Möller, C., *see* Johansson, L.
Morikawa, T., *see* Masuda, T.
Morteani, G., *see* Selverstone, J.
Motoyoshi, Y., *see* Thost, D. E.
Motoyoshi, Y., Thost, D. E. & Hensen, B. J. Reaction textures in calc-silicate granulites from the Bolingen Islands, Prydz Bay, East Antarctica: implications for the retrograde P–T path, 293

Nichols, G. T. & Berry, R. F. A decompressional P–T path, Reinbolt Hills, East Antarctica, 257

O'Beirne-Ryan, A. M., *see* Jamieson, R. A.
O'Hara, K. Fluid inclusion evidence for basement decompression during Permo-Triassic extension, SE New England, USA, 567
O'Reilly, S. Y., *see* Pearson, N. J.
Olsen, S. N. & Grant, J. A. Isocon analysis of migmatization in the Front Range, Colorado, USA, 151
Osanai, Y., Komatsu, M. & Owada, M. Metamorphism and granite genesis in the Hidaka Metamorphic Belt, Hokkaido, Japan, 111
Owada, M., *see* Osanai, Y.

Pattison, D. R. M. Infiltration-driven dehydration and anatexis in granulite facies metagabbro, Grenville Province, Ontario, Canada, 315
Pearson, N. J. & O'Reilly, S. Y. Thermobarometry and P–T–t paths: the granulite to eclogite transition in lower crustal xenoliths from eastern Australia, 349
Phillips, G. N., *see* Powell, R.
Piccardo, G. B., *see* Compagnoni, R.
Piccardo, G. B., *see* Scambelluri, M.
Pinardon, J. L., *see* Kienast, J. R.
Pognante, U. Petrological constraints on the eclogite- and blueschist-facies metamorphism and P–T–t paths in the Western Alps, 5
Powell, R., *see* Clarke, G. L.
Powell, R., *see* Clarke, G. L.
Powell, R., *see* Dirks, P. H. G. M.
Powell, R., *see* Sandiford, M.
Powell, R., Will, T. M. & Phillips, G. N. Metamorphism in Archaean greenstone belts: calculated fluid compositions and implications for gold mineralization, 141
Primmer, T. J., *see* Warr, L. N.

Rampone, E., *see* Scambelluri, M.
Robinson, D. Editorial, 1
Robinson, D., *see* Bevins, R. E.
Robinson, D., *see* Warr, L. N.
Rowbotham, G., *see* Bevins, R. E.

Sandiford, M. & Powell, R. Some remarks on high-temperature–low-pressure metamorphism in convergent orogens, 333
Scambelluri, M., *see* Messiga, B.
Scambelluri, M., Hoogerduijn Strating, E. H., Piccardo, G. B., Vissers, R. L. M. & Rampone, E. Alpine olivine- and titanium clinohumite-bearing assemblages in the Erro–Tobbio peridotite (Voltri Massif, NW Italy), 79
Schiffman, P. & Fridleifsson, G. O. The smectite–chlorite transition in drillhole NJ-15, Nesjavellir geothermal field, Iceland: XRD, BSE and electron microprobe investigations, 679
Schiffman, P., *see* Bettison-Varga, L.
Selverstone, J., Morteani, G. & Staude, J.-M. Fluid channelling during ductile shearing: transformation of granodiorite in the Tauern Window, Eastern Alps, 419
Sengupta, P., Karmakar, S., Dasgupta, S. & Fukuoka, M. Petrology of spinel granulites from Araku, Eastern Ghats, India, and a petrogenetic grid for sapphirine-free rocks in the system FMAS, 451
Simango, S., *see* Carney, J. N.
Spalla, M. I., *see* Lardeaux, J. M.
Spear, F. S. On the interpretation of peak metamorphic temperatures in light of garnet diffusion during cooling, 379
Speer, J. A., *see* Gates, A. E.
St-Onge, M. R. & Lucas, S. B. Evolution of regional metamorphism in the Cape Smith Thrust Belt (northern Quebec, Canada): interaction of tectonic and thermal processes, 515
Staude, J.-M., *see* Selverstone, J.
Svenningsen, O., *see* Dallmeyer, R. D.

Takasu, A., *see* Dallmeyer, R. D.
Thost, D. E., *see* Motoyoshi, Y.
Thost, D. E., Hensen, B. J. & Motoyoshi, Y. Two-stage decompression in garnet-bearing mafic granulites from Sostrene Island, Prydz Bay, East Antarctica, 245
Treloar, P. J., *see* Carney, J. N.

Vernon, R. H., *see* Hensen, B. J.
Viitanen, M., *see* Lindström, R.
Vissers, R. L. M., *see* Scambelluri, M.

Warr, L. N., Primmer, T. J. & Robinson, D. Variscan very low-grade metamorphism in southeast England: a diastathermal and thrust-related origin, 751
Will, T. M., *see* Powell, R.
Woodcock, N. H., *see* Awan, M. A.

Yuko, T., *see* Masuda, T.